


PLASTIC FLOATS

- large range of shapes and sizes
- diamond face for backing coats
- cross grain for sand & cement
- smooth face for epoxies

The range of REFINA floats includes ABS and PU plastic floats combining three different sizes and faces

The ABS diamond face floats are excellent for backing coating plasters and OCR renders

The PU cross grain floats are for sand and cement, setting, render and screed



671013
13" standard float

231916
16" wide float



662210
11" diamond face float



662217
17" diamond face float



671313
13" hawk



662216
wide 16" diamond face float



PLASTIC FLOATS

FLOATS, ABS plastic, diamond face, for hardwall & backing plasters

Stock no	Description	Size	Face	£ ex VAT
662210	float 11", standard shape	270x180mm	diamond	6.00
662216	float 16", wide shape	420x260mm	diamond	6.00
662217	float 17", long shape	440x140mm	diamond	6.00

FLOATS, PU plastic, for traditional float finish

Stock no	Description	Size	Face	£ ex VAT
671011	float 11", standard shape	280x110mm	cross grain	5.00
671013	float 13", standard shape	350x150mm	cross grain	6.00
231914	float 14", wide shape	360x200mm	cross grain	7.00
231916	float 16", wide shape	420x220mm	cross grain	8.00
231919	float 19", wide shape	480x240mm	cross grain	10.00

PLASTIC HAWK, one piece polyurethane plastic hand board

Stock no	Description	Size	Face	£ ex VAT
671313	hawk 13"	330x330mm	smooth	12.00



CLIKCLAK® SPONGE FLOATS

- range of sponge types & sizes
- fine, medium or coarse sponges
- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks
- takes out air pockets from sprayed plaster

The CLIKCLAK sponge floats have a quick change plate with sponge attached that allows easy changing between sponge densities

The orange sponge floats are produced with fine, medium and coarse 15mm thick sponge faces


They are the trade standard for sponging up plaster surfaces before final trowelling

The dense sponge floats are used more often on render and cement surfaces

The yellow thick sponges are for use on tile grouts



261150
11" CLIKCLAK sponge float



261152
11" CLIKCLAK sponge float



261154
11" CLIKCLAK sponge float

CLIKCLAK® SPONGE FLOATS

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for plaster surfaces

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261150	plaster sponge float 11", 3 sponge kit	280x140mm	fine, medium, coarse	orange	26.00
261155F	single replacement sponge 11"	280x140mm	fine	orange	8.00
261155M	single replacement sponge 11"	280x140mm	medium	orange	8.00
261155C	single replacement sponge 11"	280x140mm	coarse	orange	8.00

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for render & cement surfaces

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261152	render sponge float 11", 3 sponge kit	280x140mm	fine, dense, hard	black, blue, grey	26.00
261155K	single replacement sponge 11"	280x140mm	fine	black	8.00
261155B	single replacement sponge 11"	280x140mm	dense	blue	8.00
261155G	single replacement sponge 11"	280x140mm	hard	grey	8.00

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for tile grouts

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261154	tiling sponge float 11", 2 sponge kit	280x140mm	open, square cut face	yellow	20.00
261154T	single replacement sponge 11"	280x140mm	open face	yellow	8.00
261154S	single replacement sponge 11"	280x140mm	square cut face	yellow	8.00

SPONGE FLOATS

- range of sponge types & sizes
- fine, medium or coarse sponges
- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks
- takes out air pockets from sprayed plaster

The orange sponge floats are produced with fine, medium and coarse 18mm thick sponge faces

They are the trade standard for sponging up plaster surfaces before final trowelling


The smaller floats with denser sponge faces are for use on wetter plaster or cement surfaces

Sponge floats are often used in conjunction with a water brush to dampen the surface, or a large stainless steel spatula to smooth and level the surface

The blue sponge floats have a medium hard sponge with fine 14mm thick sponge face



261210
12" sponge float



range of sponges



261312
16" sponge float



261402
16" sponge float



261112
17" sponge float

SPONGE FLOATS

SPONGE FLOAT, standard shapes, with durable sponges

Stock no	Description	Size	Sponge	Colour	£ ex VAT
261210	sponge float 12"	300x120mm	med coarse	orange	10.00

SPONGE FLOATS, standard shapes, with durable sponges

Stock no	Description	Size	Sponge	Colour	£ ex VAT
261130	sponge float 11"	280x140mm	fine	orange	8.00
261310	small sponge float 8"	215x135mm	medium	orange	8.00
261314	narrow sponge float 11"	240x100mm	medium	orange	8.00
261126	sponge float 11"	280x140mm	medium	orange	8.00
261312	long narrow sponge float 16"	400x100mm	medium	orange	10.00
261120	sponge float 11"	280x140mm	coarse	orange	9.00

LARGE SPONGE FLOATS, with durable sponges

Stock no	Description	Size	Sponge	Colour	£ ex VAT
261112	wide sponge float 17"	420x260mm	medium	orange	22.00
261110	long sponge float 18"	440x140mm	medium	orange	16.00

SPONGE FLOATS, with fine, medium hard blue sponge faces, for cement finishes

Stock no	Description	Size	Sponge	Colour	£ ex VAT
261403	sponge float 8"	210x150mm	dense, med fine	blue	10.00
261400	sponge float 10"	240x100mm	dense, med fine	blue	10.00
261402	sponge float 16"	400x100mm	dense, med fine	blue	10.00