

STAINLESS STEEL MIXER PADDLES

STAINLESS STEEL MIXER PADDLES

- stainless steel paddles
- for open top drums & barrels
- suitable for corrosive materials
- generates a turn & lift mix action
- a range of sizes for various mix capacities
- German made & designed
- M14 thread & shaft



These stainless steel helix spiral paddles are a two blade helix shape that mixes and turns the material, pulling the material from bottom to top

The paddles have a 14mm shaft and are for use hand held or stand mounted with air powered or electric mixer drill motors

There are paddle sizes from 100mm to 160mm diameter, for use mixing in metal drums, plastic tubs or containers from 20 ltr to 200 ltr

The spiral design is for mixing both fluid, filled and viscous products including paints, cements, resins and epoxies

APPLICATIONS

- mix powders & cements
- liquids & slurries
- resins & epoxy
- heavy bodied coatings & paints
- adhesives & sealants



041602S
140mm screw spiral
stainless steel paddle



043806S
demi-helix
stainless steel barrel
mixer paddle

STAINLESS STEEL PADDLES

SCREW SPIRAL MIXER PADDLES, screw spiral paddles for paints & chemicals, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
041002S	screw paddle 4"	100mm	600mm	59.00
041202S	screw paddle 4¾"	120mm	600mm	69.00
041402S	screw paddle 5½"	140mm	600mm	79.00
041602S	screw paddle 6¾"	160mm	600mm	89.00

SCREW SPIRAL BARREL MIXERS, demi helix paddle for mixing through 2" bung hole, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
043806S	demi-helix barrel mixer 3"	80mm	1150mm	109.00

PADDLE EXTENSION, threaded, stainless steel

Stock no	Description	Length	£ ex VAT
000120	paddle extension 12"	300mm	28.00
000124	paddle extension 18"	450mm	38.00

STAINLESS STEEL MIXER PADDLES

STAINLESS STEEL MIXER PADDLES

- stainless steel paddles
- a range of sizes
- for open top drums & barrels
- suitable for corrosive materials
- generates a turn & lift mix action
- a range of sizes for various mix capacities
- German made & designed
- M14 thread & shaft



MADE IN
GERMANY

These stainless steel spiral paddles are a three blade helix shape that mixes and turns the material, pulling the material from bottom to top

The paddles have a 14mm shaft and shaft and are for use hand held or stand mounted with the electric Megamixers are air powered geared mixers

There are paddle sizes from 120mm to 160mm diameter, for use mixing in metal drums, plastic tubs or containers from 20 ltr to 200 ltr

The spiral design is for mixing both fluid, filled and viscous products including paints, cements, resins and epoxies

APPLICATIONS

- mix powders & cements
- liquids & slurries
- resins & epoxy
- heavy bodied coatings & paints
- adhesives & sealants



450240
140mm spiral
stainless steel paddle

STAINLESS STEEL PADDLES

INDUSTRIAL MIXERS, for mixing fluids & pourable coatings, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
450220	spiral paddle 4¾"	120mm	600mm	79.00
450240	spiral paddle 5½"	140mm	600mm	89.00
450260	spiral paddle 6¼"	160mm	600mm	99.00

PADDLE EXTENSION, threaded, stainless steel

Stock no	Description	Length	£ ex VAT
000120	paddle extension 12"	300mm	28.00
000124	paddle extension 18"	450mm	38.00

STAINLESS STEEL PROPELLOR MIXER PADDLES

PROPELLOR MIXER PADDLES

- stainless steel propellor paddles
- twin propellor design
- a range of sizes for various mix capacities
- for open top tubs, drums & barrels
- German made & designed
- M14 thread & shaft



These two disc paddles are a propellor shape that generate a high shear mix action

The paddles have a 14mm shaft and are for use hand held or stand mounted with the electric air powered drill motors

There are paddle sizes from 100mm to 150mm diameter, for use mixing in metal drums, plastic tubs or containers from 10 ltr to 100 ltr

The propellor design is for mixing both fluid and semi viscous products, blending together powders and liquids, coatings, ceramic glazes, clay slips, polyester resins and gelcoats

These propellor style industrial mixer paddles are for factory and laboratory use, mixing coatings and chemicals

The propellor type paddles will work at faster speeds and will develop a semi-dispersion type of mix action

APPLICATIONS

- mix powders & cements
- liquids & slurries
- pourable resins & epoxy
- heavy bodied coatings & paints
- emulsions & solutions



081007
100mm twin impellor stainless steel paddle



081207
120mm twin impellor stainless steel paddle

PROPELLOR MIXER PADDLES

PROPELLOR TYPE PADDLES, two blade for use with higher speed drills, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
081007	twin blade propellor paddle 4"	100mm	600mm	49.00
081207	twin blade propellor paddle 4¾"	120mm	600mm	59.00
081507	twin blade propellor paddle 6"	150mm	600mm	79.00

PADDLE EXTENSIONS, threaded, stainless steel

Stock no	Description	Length	£ ex VAT
000120	paddle extension 12"	300mm	28.00
000124	paddle extension 18"	450mm	38.00

STAINLESS STEEL PROPELLOR MIXER PADDLES

STAINLESS STEEL PROPELLOR PADDLES

- stainless steel propellor paddles
- develop an axial flow mix action
- for open top tubs, drums & barrels

These are stainless steel propellor paddles that generate an axial flow and pumping mix action

The paddles are fixed to the solid shaft with a grub screw. A second or third propellor head can be added to the shaft

The paddles are for use with geared electric and air powered motors that are stand or bracket mounted

The propellor design is for mixing both fluid and semi viscous products, blending together powders and liquids, coatings, polyester resins and gelcoats

These propellor style industrial mixer paddles are for factory and laboratory use, mixing corrosive materials and chemicals

The propellor type paddles will work at faster speeds and will develop a semi-dispersion type of mix action

APPLICATIONS

- mix liquids & slurries
- pourable resins & epoxy
- heavy bodied coatings & paints
- emulsions & solutions

190002
additional propellor
stainless steel paddle



190001
100mm propellor
stainless steel paddle



190006
160mm propellor
stainless steel paddle

PROPELLOR MIXER PADDLES

PROPELLOR TYPE MIXER PADDLES, for mixing in drums, tubs & barrels, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
190001	propellor round tip paddle 4"	100mm	600mm	59.00
190002	additional propellor round tip head 4"	100mm		49.00

PROPELLOR TYPE MIXER PADDLES, for mixing in drums, tubs & barrels, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
190006	propellor square tip paddle 6¾"	165mm	600mm	79.00
190005	additional propellor square tip head 6¾"	165mm		69.00

STAINLESS STEEL SWING VANE MIXER PADDLES

BARREL SWING VANE MIXER PADDLES

- stainless steel swing vane paddles
- paddles open out in use
- when closed paddles fit through a 2" bung hole
- for closed top tubs, drums & barrels
- M14 thread & shaft

The swing vane paddles open outwards when speeds over 100rpm are applied

When not under load the paddle blades drop down and can be fitted through a 2" drum top bung hole

The paddles have an 14mm shaft and are for use hand held or stand mounted with the electric Megamixers and air powered mixers

The vane design is for mixing both fluid and semi viscous products, blending together powders and liquids, coatings, ceramic glazes, clay slips, polyester resins and gelcoats

The paddles will work at medium speeds and will develop an axial mix action

APPLICATIONS

- mix liquids & slurries
- pourable resins & epoxy
- heavy bodied coatings & paints
- emulsions & solutions



Paddle blade folds down to fit through 2" bung hole



094062S
additional swing vane
stainless steel paddle

094062
swing vane
stainless steel paddle
vanes open



094062
swing vane
stainless steel paddle
vanes closed

STAINLESS STEEL PADDLES

BARREL MIXER, swing vanes lift up & outwards, for use through 2" bung holes in drums, stainless steel

Stock no	Description	Width Ø	Length	Vanes	£ ex VAT
094062	swing vane single head paddle 6½"	165mm	600mm	3	79.00
094062S	additional paddle head	165mm		3	69.00

PADDLE EXTENSION, threaded, stainless steel

Stock no	Description	Length	£ ex VAT
000120	paddle extension 12"	300mm	28.00
000124	paddle extension 18"	450mm	38.00

STAINLESS STEEL HOOP MIXER PADDLES

STAINLESS STEEL MIXER PADDLES

- stainless steel paddles
- a range of sizes
- for open top drums & barrels
- suitable for corrosive materials
- generates a whisking mix action
- a range of sizes for various mix capacities
- German made & designed
- M14 thread & shaft



MADE IN
GERMANY

These stainless steel hoop paddles have a three blade basket shape that mixes and whisks the material

There are paddle sizes from 100mm to 200mm diameter, for use mixing in metal drums, plastic tubs or containers from 20 ltr to 200 ltr

The paddle size should be between a third and a half of the drum diameter

APPLICATIONS

- mix powders & cements
- liquids & slurries
- resins & epoxy
- heavy bodied coatings & paints
- adhesives & sealants



011002
100mm basket hoop
stainless steel paddle

STAINLESS STEEL PADDLES

















HOOP TYPE PADDLE, for use with higher speed drills, stainless steel

Stock no	Description	Width Ø	Length	£ ex VAT
011002	basket hoop paddle 4"	100mm	600mm	49.00
011502	basket hoop paddle 6"	150mm	600mm	59.00
012002	basket hoop paddle 8"	200mm	600mm	69.00

PADDLE EXTENSION, threaded, stainless steel

Stock no	Description	Length	£ ex VAT
000120	paddle extension 12"	300mm	28.00
000124	paddle extension 18"	450mm	38.00

STAINLESS STEEL PADDLES

Model	Suitable For	Dimensions	Applications
Screw Spiral 	<ul style="list-style-type: none"> • use with electric or air motor mixers • suitable for corrosive materials • generates a turn & lift mix action • for open top drums & barrels 	Ø 100mm, 120mm, 140mm, 160mm Mixing action: turn & lift, bottom to top 	<ul style="list-style-type: none"> • mix powders & cements • liquids & slurries • resins & epoxy • heavy bodied coatings & paints • adhesives & sealants
Demi-helix 	<ul style="list-style-type: none"> • use with electric or air motor mixers • suitable for corrosive materials • generates a turn & lift mix action • for closed top drums & barrels 	Ø 80mm Mixing action: turn & lift, bottom to top 	<ul style="list-style-type: none"> • mix powders & cements • liquids & slurries • resins & epoxy • heavy bodied coatings & paints • adhesives & sealants
Spiral 	<ul style="list-style-type: none"> • use with electric or air motor mixers • suitable for corrosive materials • generates a turn & lift mix action • for open top drums & barrels 	Ø 120mm, 140mm, 160mm Mixing action: turn & lift, bottom to top 	<ul style="list-style-type: none"> • mix powders & cements • liquids & slurries • resins & epoxy • heavy bodied coatings & paints • adhesives & sealants
Twin Propellor 	<ul style="list-style-type: none"> • use with electric or air motor mixers • paddles can work at fast speeds • semi-dispersion mix action • for open top tubs, drums & barrels 	Ø 100mm, 120mm, 150mm Mixing action: medium shear 	<ul style="list-style-type: none"> • mix powders & cements • liquids & slurries • pourable resins & epoxy • heavy bodied coatings & paints • emulsions & solutions
Round & Square Propellor 	<ul style="list-style-type: none"> • use with electric or air motor mixers • paddles can work at fast speeds • second paddle blade can be added • for open top drums & barrels 	Ø 100mm, 165mm Mixing action: axial flow 	<ul style="list-style-type: none"> • mix liquids & slurries • pourable resins & epoxy • heavy bodied coatings & paints • emulsions & solutions
Swing Vane 	<ul style="list-style-type: none"> • use with electric or air motor mixers • use at medium speed, over 100rpm • paddles open out in use • when closed fits through 2" bung hole • for closed top drums & barrels 	Ø 165mm Mixing action: axial flow 	<ul style="list-style-type: none"> • mix liquids & slurries • pourable resins & epoxy • heavy bodied coatings & paints • emulsions & solutions
Basket Hoop 	<ul style="list-style-type: none"> • use with electric or air motor mixers • for open top drums & barrels 	Ø 100mm, 150mm, 200mm Mixing action: whisk 	<ul style="list-style-type: none"> • mix powders & cements • liquids & slurries • resins & epoxy • heavy bodied coatings & paints • adhesives & sealants
Hoop 	<ul style="list-style-type: none"> • use with bracket mounted motors 	Ø 530mm Mixing action: slow whisk & blend Recommended speed 50rpm 	<ul style="list-style-type: none"> • mix emulsions & solutions • liquids & slurries • inks & dyes • coatings & paints • detergents & soaps